Northern Ireland Arable Conference

Guy Smith
Deputy President
National Farmers Union
15th January 2018











Navigating Brexit for British Farming















The Precautionary Principle









Glyphosate Reauthorisation at EU level



Relative toxicity

ciacive_comorcy	
Substance	LD ₅₀ Oral (mg/kg)
Sugar	29,700
Vitamin C	11,600
Grain Alcohol	7,060
Glyphosate	>5,000
Acetic acid (in vinegar)	3,350
Table salt	3,000
Paracetamol	1,944
Tallow Amine	>864
Aspirin	200
Caffeine	192
Sodium fluoride (in toothpaste)	52
Vitamin D3	30-50
Nicotine	10
Botox	0.000001

EXAMPLES OF INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) CARCINOGENIC CLASSIFICATIONS

Since 1979, IARC has reviewed hundreds of products, chemical compounds, lifestyles, viruses, workplaces and other agents for their carcinogenic potential. Here are some examples of IARC's hazard idendifications.1

CARPENTRY













Soil Association



Support European petition to restrict pesticide use, reform safety procedures and get glyphosate out of food > soilassociation.org/ourcampaigns/...



Metaldehyde Update

26th January 2018:

"I am writing to advise you that we intend to consult soon on a targeted ban on metaldehyde, to complement ongoing catchment management and voluntary Therese Coffey stewardship."

21st June 2018:

"I would urge you to re-register these metaldehyde-based products for use in the UK" Guy Smith

22nd August 2018:

"The decision on re-registration will soon be made and will be passed to the applicant companies as soon as it has been. Depending on the outcome of re-registration, the government will consider the need to consult on a targeted restriction of metaldehyde to address drinking water quality."







2017 updated stewardship guidelines

- All methods of integrated pest management should be considered before using metaldehyde-based slug pellets to control slugs (trapping/thresholds/cultivation technique, removing trash, drilling method, rolling etc.)
- A 10 metre no spread zone should be applied to all field margins to protect water courses, birds and small mammals.
- This no spread zone applies to all field boundaries, not just water courses. Ferric phosphate CAN be applied on these margins if needed.












Existing data on PPP use – Pesticide Usage Survey (PUS) Key challenges facing PUS A survey, so subject to error margins Total Area Treated $^{\! 1}\!$ (ha) of Chlorothalonil applied to Cereals in Great Britain Data is not useful for farmers directly Delayed data Not annually surveyed so misses season specific detail Area sprayed, not crop area No data on specific cereal crops e.g. wheat identical results may occur in consecutive years because crops are not surveyed annually and are extrapolated. *Area treated refers to the active substance treated area. This is the basic ones treated by each at, multiplied by the number of times the area was treated. For example a field of 3 ha is treated 4 times with active. X Therefore the area treated is 12 ha [344]. **MFU**

⊗ NFU Mutual































What does "no deal" mean for farming?

- Trading with EU on WTO terms
- EU tariffs
- Threat of unilateral import tariff reduction/abolition
- Technical restrictions on EU trade
- Uncertainty on free movement and citizens rights
- Disruption and delays at the borders







